property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Agenda items for these meetings are subject to change as priorities dictate.

### Gopal Khanna,

Director.

[FR Doc. 2019–08764 Filed 4–30–19; 8:45 am]

# DEPARTMENT OF HEALTH AND HUMAN SERVICES

## Agency for Healthcare Research and Quality

## Agency Information Collection Activities: Proposed Collection; Comment Request

**AGENCY:** Agency for Healthcare Research and Quality, HHS.

**ACTION:** Notice.

**SUMMARY:** This notice announces the intention of the Agency for Healthcare Research and Quality (AHRQ) to request that the Office of Management and Budget (OMB) approve the proposed information collection project "Safety Program in Perinatal Care (SPPC)–II Demonstration Project."

**DATES:** Comments on this notice must be received by July 1, 2019.

**ADDRESSES:** Written comments should be submitted to: Doris Lefkowitz, Reports Clearance Officer, AHRQ, by email at *doris.lefkowitz@AHRQ.hhs.gov*.

Copies of the proposed collection plans, data collection instruments, and specific details on the estimated burden can be obtained from the AHRQ Reports Clearance Officer.

#### FOR FURTHER INFORMATION CONTACT:

Doris Lefkowitz, AHRQ Reports Clearance Officer, (301) 427–1477, or by emails at *doris.lefkowitz*@ *AHRQ.hhs.gov*.

## SUPPLEMENTARY INFORMATION:

#### **Proposed Project**

Safety Program in Perinatal Care (SPPC)–II Demonstration Project

In accordance with the Paperwork Reduction Act, 44 U.S.C. 3501–3521, AHRQ invites the public to comment on this proposed information collection. Maternal mortality and severe maternal morbidity (SMM) increased significantly and continuously in the United States (U.S.) over the past 30 years. A considerable proportion of these adverse events are attributable to preventable harm and unintended consequences

arising from clinical practice and the system of delivering perinatal care. To address these alarming trends, AHRQ has developed the Safety Program in Perinatal Care (SPPC). During its initial phase (SPPC-I), the program was comprised of three pillars: Teamwork and communication, patient safety bundles, and in situ simulations. Despite several promising results, the evaluation of SPPC-I revealed considerable hospital attrition due to heavy data burden and competing safety initiatives. Also, differences in the local adaptation of the SPPC-I patient safety bundles selected by implementation sites thwarted a meaningful cross-site comparison of programmatic impact.

The current, second phase of the program (SPPC-II), focuses on integrating the teamwork and communication pillar into patient safety bundles developed by key professional organizations and implemented in 20+ U.S. states with technical assistance by the Alliance for Innovation on Maternal Health (AIM) program and funding from the Health Resources and Services Administration (HRSA). Of note, the model used by AIM to implement these bundles is through statewide perinatal quality collaboratives (PQC) aiming to enroll all birthing hospitals in the state in the PQC.

During the Planning Phase of SPPC-II. the contractor, Johns Hopkins University (JHU), developed SPPC-II Training Toolkits for two AIM patient safety bundles: Obstetric hemorrhage and severe hypertension in pregnancy. The aim of the SPPC-II Demonstration *Project* is to implement and evaluate an integrated AIM-SPPC II program that overlays the SPPC-II Training Toolkits and the AIM patient safety bundles and program infrastructure in two states-Oklahoma (OK), currently implementing the severe hypertension bundle; and Texas (TX), currently implementing the hemorrhage bundle.

Over the next five years, the AIM program is expected to cover about two thirds of U.S. states. Therefore, there is need to determine the feasibility and impact of the proposed integrated AIM—SPPC II program, and inform future government funding decisions regarding these two programs.

To this end, the SPPC–II Demonstration Project has the following goals:

- (1) To implement the integrated AIM–SPPC II program in birthing hospitals in OK and TX in coordination with AIM and the respective state PQC;
- (2) To assess the implementation of the integrated AIM–SPPC II program in these hospitals; and

(3) To ascertain the short- and medium-term impact of the integrated AIM–SPPC II program on hospital (*i.e.* perinatal unit) teamwork and communication, patient safety, and key maternal health outcomes.

This study is being conducted by AHRQ through its contractor, Johns Hopkins University (JHU) and the AIM program, JHU's subcontractor, pursuant to AHRQ's statutory authority to conduct and support research on health care and on systems for the delivery of such care, including activities with respect to the quality, effectiveness, efficiency, appropriateness and value of health care services and with respect to quality measurement and improvement. 42 U.S.C. 299a (a)(1) and (2).

#### **Method of Collection**

To achieve the goals of this project the following data collections will be implemented:

(a) Training of AIM Team Leads from 48 birthing hospitals in OK and 210 birthing hospitals in TX (i.e., all birthing hospitals enrolled in the respective state PQC) on using teamwork and communication tools and strategies in clinical obstetric practice. The training will be conducted in-person, through a full-day workshop organized in collaboration and coordination with the AIM program and state PQCs, and led by JHU. Only one such training workshop will be conducted in OK using the SPPC-II Toolkit for severe hypertension in pregnancy. Given the size of the state, potential long distances to be traveled by trainees, and the costefficiency of coordinating with back-toback regional PQC meetings planned in TX this fall, five training workshops will be conducted in this state using the SPPC-II Toolkit for obstetric hemorrhage. We expect about half of the birthing hospitals in both states to send 2 hospital champions, of which one to be designated as AIM Team Lead, for training. JHU will keep and bi-annually update a roster of AIM Team Leads in each hospital to assess the need for training of new AIM Team Leads if turnover occurs. Training workshop evaluation forms will be distributed for completion by trainees on a voluntary basis to assess the perceived utility of training workshops

(b) Training of all frontline clinical staff in 48 birthing hospitals in OK and 210 birthing hospitals in TX on teamwork and communication tools and strategies will be coordinated by AIM Team Leads in each hospital by: (a) Providing unique trainee IDs and information for them to access 8 training e-modules online, and (b) using the JHU-developed facilitator guide

included in the SPPC–II Toolkits to facilitate brief, in-person demonstration sessions on how to use the information from the training e-modules in clinical practice. Each of the eight training e-modules will take about 15 minutes to complete online, for a total of about 120 minutes. Because these training e-modules will be accessed and completed online, tracking of e-module completion and re-take, needed to assess overall staff exposure to training, is possible through the online training platform.

c) Coaching calls will be organized monthly and led by JHU to address program implementation questions and assist with potential challenges. AIM Team Leads in all *Demonstration Project* hospitals will be invited to join these calls and ask questions. A list of coaching call participants and topics addressed will be maintained by JHU.

(d) AIM Team Lead self-administered baseline surveys will be made available 2–3 weeks before the AIM Team Leads training workshop, together with a corresponding consent form. The purpose of this survey is to assess key characteristics of project hospitals, including human resources, processes in place for AIM bundle implementation, and use of teamwork and communication tools in clinical practice. Respondents will have the option to complete the survey online or on paper, in line with the current administration of the Hospital Survey on Patient Safety Culture. The expected response rate for this survey is 95% in both states.

(e) Clinical staff self-administered baseline surveys will be made available before the first training workshop with AIM Team Leads, together with a corresponding consent form. The purpose of this survey is to assess baseline levels of previous teamwork and communication training, overall use of teamwork and communication tools and strategies, teamwork and communication perceptions, experience with AIM bundle implementation. Three respondents will be randomly selected in each hospital using comprehensive lists of clinical staff developed by the AIM Team Leads. These lists will be updated by AIM Team Leads on a quarterly basis to capture new hires and staff turnover. Respondents will be given the option to complete the survey online or on paper, in line with the administration of the national Hospital Survey on Patient

Safety Culture. The expected response rate for this survey is 85% in both states.

(f) Qualitative, semi-structured interviews with AIM Team Leads will be conducted by phone about 3–4 months after their training workshop to assess the perceived utility of the training and assistance needed with the rollout of training to all frontline clinical staff using the e-modules and facilitation sessions to consolidate the information. An interview guide developed based on the Consolidated Framework for Implementation Research framework will be used to conduct the interviews, together with a corresponding consent form.

(g) Clinical staff self-administered implementation surveys will be made available at about 6, 18, and 30 months after the first AIM Team Leads training, together with a corresponding consent forms, to assess training knowledge, transfer, and results such as use of teamwork and communication tools and strategies, teamwork and communication perceptions, experience with AIM bundle implementation overlaid with the teamwork and communication tools. The time points were chosen to assess: Early adoption and results of the training (6-month survey); adoption and results of the training at the time when unit culture changes are expected per available implementation research (18-month survey); and medium-term program sustainability (30-month survey). For each survey, three respondents will be randomly selected in each hospital using the most up to date comprehensive lists of clinical staff developed by the AIM Team Leads. Respondents will have the option to complete these surveys online or on paper, in line with the administration of the national Hospital Survey on Patient Safety Culture. The expected response rates are 80%, 77.5% and 75% for surveys completed at 6, 18 and 30 months after AIM Team Leads training workshops, respectively.

(h) AIM program data will be obtained from the AIM program, a subcontractor of JHU's, under a data use agreement signed by all hospitals at the state PQC meetings in the fall of 2019. These data are needed for the evaluation of the SPPC–II Demonstration Project to assess changes in key AIM program processes and maternal health outcomes, such as severe maternal morbidity, throughout the project.

## **Estimated Annual Respondent Burden**

Exhibit 1 shows the estimated annualized burden hours for the respondents' time to participate in the SPPC–II Demonstration Project.

An estimated 387 AIM Team Leads from the 258 Demonstration Project sites will be trained during 8-hour workshops using the SPPC-II Toolkit. An evaluation form, which will take approximately 5 minutes to complete, will be distributed to them at the end of the workshop, and about 75% of them (290 AIM Team Leads) are expected to complete the evaluation. They will also be asked to extract from an available human resources computerized database and update bi-annually rosters of frontline clinical staff in their unitsfirst extraction and each update is expected to take about 5 minutes.

An estimated 15,480 frontline clinical staff are expected to be trained using the training e-modules in the SPPC–II Toolkit. Completion of the 8 e-modules will take about 2 hours. These trainings will be complemented by four 15-min facilitation sessions led by AIM Team Leads in their respective units. The AIM Team Leads will track attendance of the facilitation session, work estimated to take about 15 minutes after each session.

Monthly 1-hour coaching calls will be organized during the first 18 months of the project and at least one representative from about half of the sites is expected to participate at each coaching call.

Several surveys will be administered throughout the Demonstration Project, specifically: Baseline, 20-minute surveys with AIM Team Leads at each of 258 sites; baseline, 25-minute surveys with 3 randomly selected frontline clinical staff at each of 258 sites; and 30minute implementation surveys with 3 randomly selected frontline clinical staff at each of 258 sites will be conducted at 6, 18, and 30 months after the initial training workshops in both states. In addition, one-hour qualitative interviews will be conducted with 25 AIM Team Leads in the 2 states about 3-4 months after the initial training workshops in their respective state.

DUAs will be obtained from each site in order to access AIM data; their review and signature will take about 5 minutes at each site.

The total annual burden hours are estimated to be 54, 654 hours.

EXHIBIT 1—ESTIMATED ANNUALIZED BURDEN HOURS

Form name	Number of respondents	Number of responses per respondent	Hours per response	Total burden hours
Training of AIM Team Leads	387	1	8	3,096
Frontline staff rosters developed by AIM Team Leads	258	6	0.08	124
Evaluation form for training of AIM Team Leads	290	1	0.08	23
Training of frontline clinical staff	15,480	1	2.00	30,960
Facilitation sessions	15,480	4	0.25	15,480
Tracking attendance of facilitation sessions	258	4	1.00	1,032
Coaching calls	129	18	1.00	2,322
Self-administered baseline surveys with AIM Team Leads	258	1	0.33	85
Self-administered baseline surveys with clinical staff	774	1	0.42	325
Qualitative semi-structured interviews with AIM Team Leads	25	1	1.00	25
Self-administered implementation surveys with clinical staff at 6 months	774	1	0.50	387
Self-administered implementation surveys with clinical staff at 18 months	774	1	0.50	387
Self-administered implementation surveys with clinical staff at 30 months	774	1	0.50	387
DUA for AIM data	258	1	0.08	21
Total	36,048	NA	NA	54,654

Exhibit 2 shows the estimated annualized cost burden based on the respondents' time to submit their data.

The cost burden is estimated to be \$1,489,998.34 annually.

EXHIBIT 2—ESTIMATED ANNUALIZED COST BURDEN

Form name	Number of respondents	Total burden hours	Average hourly wage rate*	Total cost burden
Training of AIM Team Leads	387	3,096	\$49.83	\$154,273.68
Frontline staff rosters developed by AIM Team Leads	258	124	49.83	6,178.92
Evaluation form for training of AIM Team Leads	290	23	49.83	1,146.09
Training of frontline clinical staff	15,480	30,960	66.32	2,053,267.20
Facilitation sessions	15,480	15,480	66.32	1,026,633.60
Tracking attendance of facilitation sessions	258	1,032	49.83	51,424.56
Coaching calls	129	2,322	66.32	153,995.04
Self-administered baseline surveys with AIM Team Leads	258	85	49.83	4,235.55
Self-administered baseline surveys with clinical staff	774	325	66.32	21,554
Qualitative semi-structured interviews with AIM Team Leads	25	25	49.83	1,245.75
Self-administered implementation surveys with clinical staff at 6 months	774	387	66.32	25,665.84
Self-administered implementation surveys with clinical staff at 18 months	774	387	66.32	25,665.84
Self-administered implementation surveys with clinical staff at 30 months	774	387	66.32	25,665.84
DUA for AIM data	258	21	49.83	1,046.43
Total	36,048	54,716		1,489,998.34

## **Request for Comments**

In accordance with the Paperwork Reduction Act, comments on AHRQ's information collection are requested with regard to any of the following: (a) Whether the proposed collection of information is necessary for the proper performance of AHRQ's health care research and health care information dissemination functions, including whether the information will have practical utility; (b) the accuracy of AHRQ's estimate of burden (including hours and costs) of the proposed collection(s) of information; (c) ways to enhance the quality, utility and clarity

of the information to be collected; and (d) ways to minimize the burden of the collection of information upon the respondents, including the use of automated collection techniques or other forms of information technology.

Comments submitted in response to this notice will be summarized and included in the Agency's subsequent request for OMB approval of the proposed information collection. All

comments will become a matter of public record.

#### Gopal Khanna,

Director.

[FR Doc. 2019-08766 Filed 4-30-19; 8:45 am]

BILLING CODE 4160-90-P

<sup>\*</sup>National Compensation Survey: Occupational wages in the United States May 2017 "U.S. Department of Labor, Bureau of Labor Statistics." a Hourly wage for nurse-midwives (\$48.36; occupation code 29–1161). b Weighted mean hourly wage for obstetrician-gynecologists (\$113.10; occupation code 29–1064; 30%); nurse-midwives (\$49.83; occupation code 29-1161; 30%); registered nurses (\$35.36; occupation code 29-1161; 20%); and nurse practitioners (\$51.86; occupation code 29-1171;